CONTROLLING SOCIAL MEDIA APPLICATION USING COMPUTER VISION

Mohan H G[1], Abhishek S[2], Aishwarya S G[3], Arpitha V[4], Bharath C[5]

[1] Asst professor, Department of Computer Science and Engineering, Jawaharlal Nehru New College of Engineering, Shimoga

[2, 3, 4, 5] BE students, Department of Computer Science and Engineering, Jawaharlal Nehru New College of Engineering, Shimoga

---

I. Abstract

With advancements in computer vision, the potential for accessibility-focused human-computer interaction (HCI) has expanded. This paper presents an innovative system that uses hand gestures and facial movements for touch-free digital interaction, targeting users with physical limitations and specialized environments requiring hands-free interfaces. By combining OpenCV for image processing, MediaPipe for real-time landmark detection, and PyAutoGUI for action execution, this system offers an accessible, adaptive, and intuitive alternative to traditional input devices. The system achieves real-time performance and demonstrates robust functionality under diverse conditions, making it an ideal solution for accessibility enhancement, professional multitasking, and interaction innovation. Future expansions include adaptive learning algorithms, gesture library enhancement, and privacy safeguards to further enhance usability and security.

Keywords: Gesture-based control system, Hands-free interaction, MediaPipe, OpenCV, PyAutoGUI, Real-time processing, Human-computer interaction (HCI).

II. Introduction

The evolution of HCI technologies has been pivotal in improving accessibility and efficiency across various domains. Traditional input devices such as keyboards and mice, though widely used, pose limitations for individuals with motor disabilities and in environments where direct touch is impractical. The demand for intuitive, hands-free systems has consequently surged.

This paper explores a gesture and facial movement-based control system designed to enable seamless interaction with digital devices. The system uses OpenCV to process video frames, MediaPipe to detect hand and facial landmarks, and PyAutoGUI to translate gestures into actionable computer commands. This modular design supports real-time interaction while maintaining adaptability across different environments and user needs.

Applications of the system range from accessibility tools for individuals with disabilities to enhanced productivity in sterile or multitasking environments such as healthcare or manufacturing. By addressing existing limitations in gesture-recognition systems and emphasizing usability and robustness, this project contributes significantly to the field of HCI.

III. Related work

The evolution of gesture-based control systems has seen significant advancements in recent years, with researchers exploring various methods to achieve touch-free human-computer interaction (HCI). Early systems, such as the "Virtual Mouse Controlled by Tracking Eye Movement," used webcams to detect and track pupil movements, allowing users with motor disabilities to control computer cursors. [1] have proposed the approach provided a low-cost solution for accessibility but faced challenges such as sensitivity to lighting and the need for precise calibration.

[2] Hand gesture recognition systems, on the other hand, have leveraged tools like OpenCV and Python to enable real-time tracking of hand movements. For example, a "Hand Gesture Controlled System Using OpenCV and Python" mapped specific gestures to predefined actions, showcasing the potential for gesture-based navigation. [3] have proposed promise, such systems often struggled with environmental variability and were limited to simple gestures due to hardware constraints.

[4] MediaPipe's on-device real-time hand-tracking framework introduced a significant leap in precision and adaptability. [5] have proposed the studies utilizing MediaPipe for gesture recognition have demonstrated high-quality tracking of hand landmarks, supporting applications in accessibility and AR/VR environments. [6] have proposed challenges such as performance under poor lighting and limitations in detecting complex gestures persisted.

Recent hybrid models combining MediaPipe, convolutional neural networks (CNNs), and long short-term memory (LSTM) architectures have further improved accuracy and real-time performance. [7] have proposed the systems successfully classifying dynamic gestures by capturing temporal relationships but often require high computational resources, making them less practical for real-world deployment.

[8] The literature highlights the potential of gesture-based systems for accessibility and hands-free interaction but underscores the need for a balance between computational efficiency, adaptability, and usability. The proposed system aims to address these challenges by combining robust tools like OpenCV, MediaPipe, and PyAutoGUI to create a cost-effective, real-time solution suitable for diverse user needs.

IV. Problem Statement

Traditional input devices such as keyboards and mice, while widely adopted, are not suitable for all users. Individuals with physical disabilities often face difficulties using these devices, and in specialized environments such as healthcare and manufacturing, hands-free interaction is a necessity. Existing gesture recognition systems, though innovative, lack the precision, flexibility, and accessibility required for widespread adoption. Challenges include sensitivity to environmental factors, limited gesture libraries, and computational inefficiencies that hinder real-time performance.

This project seeks to address these issues by developing a gesture and facial movement-based control interface. The system aims to improve accessibility, precision, and responsiveness in hands-free digital interactions. By leveraging computer vision and machine learning, it bridges the gap between human intent and technological capability, enabling natural and intuitive control mechanisms for diverse applications.

V. Proposed Methodology

The methodology given in Fig 1, outlines the systematic approach used to design and implement a real-time gesture-based control system. Each step is structured to ensure functionality, precision, and adaptability.



Fig-1: Block Diagram of System Architecture

i. Input Capture and Preprocessing:

The system captures real-time video input through a standard webcam, providing an accessible and cost-effective solution without requiring specialized hardware. The captured frames are processed using OpenCV to ensure compatibility with the subsequent modules. This preprocessing includes converting frames from BGR to RGB format, as required by MediaPipe, and applying noise reduction techniques to enhance image quality. These steps ensure the system can operate accurately under varying environmental conditions.

ii. Hand and Facial Landmark Detection:

MediaPipe is employed to detect and track key landmarks on the user's hands and face. For hand gestures, the system identifies 21 landmarks, including finger tips, joints, and the palm center. These points are crucial for detecting movements and forming the basis of gesture recognition. Facial landmark detection focuses on the eye

region, enabling functionalities such as blink detection for simulating clicks. The combination of hand and facial detection ensures a versatile and comprehensive interaction framework.

iii. Gesture Recognition and Mapping:

Once landmarks are detected, the system analyzes their spatial relationships to recognize predefined gestures. Hand gestures, such as index finger movements, are mapped to cursor navigation, while pinching motions simulate click actions. Eye blinks are detected by monitoring the distance between specific eye landmarks to differentiate intentional blinks from natural ones. Each gesture is mapped to a corresponding system action using predefined configurations, ensuring intuitive interaction for users.

iv. Action Execution:

PyAutoGUI is used to execute the mapped gestures as system actions, including cursor movement, scrolling, and clicking. The execution pipeline is optimized to minimize latency, enabling real-time responsiveness. This ensures a seamless experience where gestures are instantly translated into on-screen actions.

v. Real-Time Feedback and Error Handling:

Feedback mechanisms are integrated to dynamically adjust the system's sensitivity to external factors such as lighting variations and background noise. The system employs error-handling protocols to recalibrate when landmarks are not detected or gestures are misinterpreted. These features enhance the system's robustness and adaptability, ensuring reliable operation in diverse environments.

vi. System Integration and Testing:

The hand gesture and eye tracking functionalities are integrated into a unified framework, ensuring seamless interaction between modules. Comprehensive testing under various environmental conditions validates the system's performance, accuracy, and stability.

VI. Result

In our research work, the proposed methodology we used gave the results illustrated below. We have achieved what we were supposed to get as the outcome. The combination of computer vision tools, including OpenCV and MediaPipe, accurately analyzed hand and facial gestures in real-time, enabling seamless control over system actions. The implemented algorithms effectively mapped gestures to actions, such as cursor movement, scrolling, and clicking, while the integration of PyAutoGUI ensured smooth execution. The system was able to successfully recognize predefined gestures and facial movements, achieving precise and intuitive interaction as intended.

fig 2 and fig 3 of below illustrates the cursor movement using eye gesture whereas fig 4 and fig 5 of below illustrates the scrolling action using the hand gesture.



Fig-2: Snapshot of the eye gesture used to move the cursor to the left.



Fig-3: Snapshot of the eye gesture used to move the cursor to the right.



Fig-4: Snapshot of the hand gesture for scrolling forward.

Fig-5: Snapshot of the hand gesture for scrolling backward.

VII. Conclusion

In conclusion, the Controlling Social Media Application using Computer Vision successfully showcases the power of computer vision to enable hands-free interaction with social media platforms. By integrating real-time gesture recognition and eye-tracking technologies, the system offers an intuitive, responsive, and accessible user experience. It caters to individuals with physical limitations and provides a touch-free interface, enhancing usability across various environments. While performance can be improved under varying lighting conditions, the system lays a strong foundation for further development in human-computer interaction, emphasizing inclusivity, practicality, and innovation.

VIII. Reference

[1] C. D. Patil, A. Sonare, A. Husain, A. Jha, and A. Phirke, "Survey on: Hand Gesture Controlled using OpenCV and Python," International Journal of Creative Research Thoughts (IJCRT), vol. 10, no. 11, pp. 120–125, Nov. 2022.

[2] R. Maheshwar, D. R. Kumar, M. A. Sami, and N. Akhil, "Eyeball Cursor Movement Using OpenCV," Journal of Emerging Technologies and Innovative Research (JETIR), vol. 11, no. 3, pp. 44–48, Mar. 2024.

[3] Y. Yaseen, O.-J. Kwon, J. Kim, S. Jamil, J. Lee, and F. Ullah, "Next-Gen Dynamic Hand Gesture Recognition: MediaPipe, Inception-v3 and LSTM-Based Enhanced Deep Learning Model," Electronics, vol. 13, no. 16, p. 3233, 2024. [Online].

[4] S. S. Suganya, K. V. S. Suthir, M. R. S, and S. Selvamani, "Hand Gesture Recognition for Virtual Mouse Control Using MediaPipe in Artificial Intelligence," Journal of Emerging Technologies and Innovative Research (JETIR), vol. 11, no. 5, pp. 50–55, May 2024.

[5] K. Ijardar, P. Jaiswal, M. Dhakiter, M. Kakde, and T. Barai, "Human Eye Based Computer Mouse," International Research Journal of Modernization in Engineering, Technology and Science, vol. 4, no. 12, pp. 224–228, Dec. 2022.

[6] S. Gantyala, W. Godad, and N. Phadnis, "Controlling Mouse Events Using Eye Blink," International Journal of Advanced Research in Computer and Communication Engineering, vol. 5, no. 3, pp. 754–757, Mar. 2016. doi: 10.17148/IJARCCE.2016.53182.

[7] F. Zhang, V. Bazarevsky, A. Vakunov, A. Tkachenka, G. Sung, C.-L. Chang, and M. Grundmann, "MediaPipe Hands: On-device Real-time Hand Tracking," Google Research, 1600 Amphitheatre Pkwy, Mountain View, CA, USA.

[8] M. B. Manikandan, A. S, M. S. C, S. Unnikrishnan, and A. R. B. Ummer, "Virtual Mouse Controlled by Tracking Eye Movement," International Journal of Creative Research Thoughts (IJCRT), vol. 11, no. 11, pp. 100–105, Nov. 2023.