International Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056
Volume: 12 Issue: 12 | Dec 2025 www.irjet.net p-ISSN: 2395-0072

Bridging the Learning Gap: A Structured Roadmap for Blockchain Application Development

Atharva Baodhankar[1]

[1] *Computer Science Student, Department of Computer Engineering, MIT Academy of Engineering, Pune - 412 105, Maharashtra, India*

Abstract - *Blockchain technology has gained widespread attention due to its applications in finance, governance, and decentralized digital platforms. Despite this growth, many students and beginner developers struggle to learn blockchain application development effectively. The primary challenge lies in the absence of a clear and structured learning pathway that connects fundamental concepts with practical implementation. Learners are often exposed to scattered tutorials that focus on individual tools or technologies without explaining how they fit together in a complete decentralized application workflow.*

This paper proposes a structured, phase-wise roadmap designed to guide students from basic blockchain concepts to the development and deployment of full-stack decentralized applications. The roadmap begins with blockchain fundamentals and wallet interaction, progresses through smart contract development and testing, and concludes with frontend integration, testnet deployment, and off-chain storage using IPFS and pinning services. Each phase is designed with specific learning objectives and short practical exercises to reinforce understanding.

The effectiveness of the proposed roadmap is validated through its application in real-world blockchain projects, including a decentralized voting system and a decentralized social media platform. The results indicate that a structured learning approach significantly reduces confusion, improves conceptual clarity, and enables students to build production-ready blockchain applications with confidence.

Keywords: **Blockchain education, Decentralized applications, Smart contracts, Solidity, MetaMask, IPFS, Web3 development**

1. INTRODUCTION

Blockchain technology has evolved from a niche concept associated with cryptocurrencies into a foundational technology for decentralized systems. Platforms such as Ethereum have enabled developers to deploy programmable logic in the form of smart contracts, leading to the rise of decentralized applications (dApps). As industries increasingly adopt blockchain-based solutions, the demand for skilled blockchain developers has grown rapidly.

However, learning blockchain application development remains challenging for students. Unlike traditional web development, blockchain development introduces new concepts such as decentralized consensus, cryptographic identities, gas fees, and immutable storage. Beginners often struggle to understand where to start and how different components—wallets, smart contracts, frontend interfaces, and storage systems—connect with each other. Most available learning resources focus on individual topics, such as Solidity programming or wallet usage, without presenting a complete development flow.

In academic environments, blockchain is still not consistently integrated into undergraduate curricula. As a result, students rely heavily on online tutorials, documentation, and trial-and-error learning. This unstructured approach often leads to confusion, knowledge gaps, and difficulty in building complete, functional applications.

This paper addresses this problem by proposing a structured learning roadmap for blockchain application development. The roadmap organizes the learning process into clear phases, each focusing on a specific set of skills and tools. By following this roadmap, students can gradually progress from theoretical understanding to real-world implementation. The proposed approach aims to bridge the gap between conceptual learning and practical blockchain development.

2. LITERATURE REVIEW

Several studies and educational initiatives have explored blockchain learning and curriculum design. Research on blockchain education highlights that the technology's interdisciplinary nature makes it difficult to teach using traditional computer science curricula. Many universities introduce blockchain concepts only at advanced levels, leaving undergraduate students with limited exposure.

Existing literature emphasizes the importance of hands on learning for complex technologies. Studies in engineering education suggest that project-based learning improves comprehension, retention, and skill development when compared to purely theoretical instruction. This is particularly relevant for blockchain, where abstract concepts

such as consensus and immutability become clearer through implementation.

Developer documentation provided by platforms such as Ethereum, Hardhat, and IPFS offers detailed technical guidance, but these resources are often tool-centric. While they explain how individual components work, they do not provide a complete learning sequence tailored for beginners. As a result, learners frequently jump between topics without understanding their dependencies.

Some educational frameworks propose modular learning approaches for blockchain, covering fundamentals, smart contracts, and applications. However, many of these frameworks lack validation through real-world projects or fail to address practical deployment challenges such as wallet integration, testnet usage, and off-chain data storage.

The literature indicates a clear need for a unified, student-friendly roadmap that integrates theory, tools, and deployment practices into a single learning pathway. This paper builds upon existing educational insights by proposing a structured roadmap validated through practical blockchain projects.

3. PROPOSED SYSTEM

A. Overview

The proposed system is a structured learning roadmap that divides blockchain application development into seven sequential phases. Each phase introduces a limited set of concepts and tools, allowing learners to focus on one aspect of development at a time. This phased approach minimizes cognitive overload and ensures that students build a strong foundation before moving to advanced topics.

The roadmap is designed for students with basic programming knowledge and aims to guide them from blockchain fundamentals to the deployment of complete decentralized applications. Each phase includes learning objectives, practical exercises, and expected outcomes.

Table -1: Phase-wise Summary of Learning Objectives and Outcomes

Phase	Learning Objectives	Key Technologies	Duration
1	Blockchain fundamentals, consensus mechanisms	Bitcoin, Ethereum	2 weeks
2	Wallet setup, network configuration	MetaMask, Testnets	1 weeks
3	Smart contract programming	Solidity, Remix IDE	3 weeks
4	Development frameworks, testing	Hardhat, Foundry	2 weeks
5	Frontend integration	React, Ethers.js	3 weeks
6	Testnet deployment	Sepolia, Polygon Amoy	1 weeks
7	Distributed storage, hosting	IPFS, Pinata	2 weeks

B. Phase 1: Blockchain Fundamentals

This phase introduces the core concepts of blockchain technology. Students learn how blocks are linked using cryptographic hashes, how transactions are validated, and how decentralized consensus mechanisms operate. Public and private blockchains, along with their use cases, are also discussed.

Exercise: Students analyze a simple blockchain simulator to observe how altering a block affects the entire chain. **Outcome**: Students develop a conceptual understanding of decentralization, immutability, and trustless systems

C. Phase 2: Wallets and Network Configuration

In this phase, students interact with real blockchain networks using wallets such as MetaMask. They learn about accounts, private keys, and network IDs, and gas fees. Test networks such as Sepolia and Polygon Amoy are introduced to provide a safe environment for experimentation.

Exercise: Students connect MetaMask to a testnet, request test tokens, and perform a basic transaction.

Outcome: Students become comfortable using wallets and interpreting block chain transactions through explorers.

D. Phase 3: Smart Contract Basics

This phase focuses on writing smart contracts using Solidity. Students learn contract structure, state variables, functions, and events. Basic security considerations are also introduced.

Exercise: Students write and deploy a simple Solidity contract using the Remix IDE.

Outcome: Students can write and interact with basic smart contracts

E. Phase 4: Development Frameworks and Testing

Students are introduced to professional development tools such as Hardhat or Foundry. They learn to compile contracts, write automated tests, and deploy contracts locally.

Exercise: Students create a Hardhat project and write unit tests for a smart contract.

Outcome: Students understand structured development workflows and testing practices.

Outcome: Students understand hybrid on-chain/offchain architecture.

4. IMPLEMENTATION AND VALIDATION

The application of the proposed roadmap demonstrated improved learning clarity and reduced confusion among students. The phased structure helped learners understand the relationship between blockchain components. Project based validation confirmed that students could independently deploy functional decentralized applications.



Fig. 1. Structured seven-phase learning roadmap for blockchain application development.

F. Phase 5: Frontend Integration

This phase connects smart contracts with frontend applications using React and Ethers.js. Students learn how to connect wallets, call contract functions, and handle transaction states.

Exercise: Students build a simple React interface that reads and writes data to a smart contract.

Outcome: Students can build interactive decentralized applications.

G. Phase 6: Testnet Deployment

Students deploy smart contracts to public test networks and verify them using block explorers. Deployment challenges such as gas estimation and failed transactions are discussed.
Exercise: Students deploy a contract to a testnet and interact with it through a frontend.

Outcome: Students gain real-world deployment experience.

H. Phase 7: Hosting and Off-chain Storage

Large data such as images and videos cannot be stored directly on blockchain due to cost and scalability limitations. This phase introduces IPFS for decentralized storage and pinning services such as Pinata. Only IPFS content identifiers are stored on-chain.

Exercise: Students upload a file to IPFS, store its CID in a smart contract, and retrieve the file using the frontend.

A. Chain Elect: Block chain-Based Voting System

ChainElect implements a transparent and verifiable voting system that addresses common concerns about election integrity and voter privacy. The system demonstrates the application of blockchain technology in creating trustworthy democratic processes.



Fig. 2. System architecture of the ChainElect blockchain-based voting application.

The ChainElect system architecture separates voter authentication, ballot casting, and result tabulation into distinct smart contracts to ensure security and auditability. Voter eligibility is managed through a permissioned system that maintains privacy while preventing duplicate voting.

Ballot information, candidate profiles, and supporting documentation are stored on IPFS with content hashes recorded on-chain. This approach ensures that voting

materials remain accessible and unmodified throughout the election process while minimizing on-chain storage costs.

The voting mechanism implements cryptographic techniques to ensure ballot secrecy while maintaining verifiability. Each vote is recorded as a blockchain transaction, creating an immutable audit trail that can be independently verified by election observers and participants.

B. Socio3: Decentralized Social Media Platform

Socio3 represents a comprehensive implementation of decentralized social media functionality, incorporating user authentication, content creation, and social interaction features. The platform demonstrates the practical application of blockchain technology in creating censorship resistant social networks.



Fig. 3. Hybrid on-chain and off-chain architecture of the Socio3 decentralized social media platform, where media content is stored on IPFS and only content identifiers (CIDs) are recorded on the block chain.

The Socio3 architecture implements a hybrid storage approach where user profiles, posts, and media content are stored on IPFS, while social interactions such as likes, follows, and content hashes are recorded on-chain. This design ensures content immutability while maintaining cost-effectiveness for large data storage.

Smart contract functionality includes user registration, content publishing, social graph management, and reputation systems. The platform utilizes ERC-721 tokens for unique user identities and implements a decentralized governance mechanism for content moderation decisions.

The frontend application, built with React and Ethers.js, provides a familiar social media interface while seamlessly integrating blockchain functionality. Users can connect their wallets, create profiles, publish content, and interact with other users without requiring deep blockchain knowledge.

Key technical implementations include real-time content synchronization using blockchain events, IPFS content pinning through Pinata integration, and responsive design optimized for both desktop and mobile devices. The platform demonstrates scalability considerations through efficient smart contract design and strategic use of off chain storage.

C. Validation Methodology

Both projects were developed following the seven-phase roadmap, with each phase contributing specific components to the final applications. The validation process involved multiple assessment criteria including technical functionality, user experience, security considerations, and educational effectiveness.

Technical validation included comprehensive testing of smart contract functionality, frontend integration, and IPFS storage reliability. Security assessments examined common vulnerabilities such as reentrancy attacks, integer overflow, and access control issues. Performance testing evaluated gas usage optimization and application responsiveness under various network conditions.

Educational effectiveness was assessed through student feedback and learning outcome measurement. Students reported improved understanding of blockchain concepts and increased confidence in developing decentralized applications. The structured progression provided by the roadmap helped students overcome common learning barriers and maintain motivation throughout the development process.

5. RESULTS AND DISCUSSION

The application of the proposed roadmap demonstrated improved learning clarity and reduced confusion among students. The phased structure helped learners understand the relationship between blockchain components. Project based validation confirmed that students could independently deploy functional decentralized applications.

Student feedback indicated that the structured approach significantly reduced the learning curve associated with blockchain development. The sequential progression from fundamentals to advanced topics prevented cognitive overload while maintaining engagement throughout the learning process.

Technical validation through the ChainElect and Socio3 projects confirmed that students following the roadmap could successfully integrate multiple blockchain technologies into cohesive applications. The hybrid storage approach using IPFS proved particularly effective in addressing scalability concerns while maintaining data integrity

Performance metrics showed that students completing the roadmap demonstrated higher success rates in deploying functional decentralized applications compared to traditional learning approaches. The emphasis on practical exercises in

each phase reinforced theoretical concepts and improved retention rates.

6. CONCLUSION AND FUTURE WORK

This paper presented a structured roadmap for blockchain application development aimed at students and beginner developers. By organizing learning into sequential phases and validating the approach through real-world projects, the roadmap bridges the gap between theory and practice.

The seven-phase structure provides a clear learning pathway that addresses common educational challenges in blockchain development. Each phase builds upon previous knowledge while introducing new concepts in a manageable progression. The emphasis on practical exercises ensures that students gain hands-on experience with industry-standard tools and practices.

Validation through the ChainElect voting system and Socio3 social media platform demonstrates the effectiveness of the proposed approach. Students following the roadmap successfully developed and deployed functional decentralized applications that integrate multiple blockchain technologies.

Future work includes developing interactive learning platforms and extending the roadmap to advanced blockchain topics such as cross-chain communication and zero-knowledge proofs. Additional research will focus on adapting the roadmap for different educational contexts and measuring long-term learning outcomes.

7. REFERENCES

[1] S. Nakamoto, "Bitcoin: A peer-to-peer electronic cash system," Bitcoin.org, 2008. [Online]. Available: https://bitcoin.org/bitcoin.pdf

[2] P. Zhang, M. A. Imran, and K. Yang, "A comprehensive survey of blockchain education: Current state and future directions," IEEE Access, vol. 8, pp. 145932–145951, 2020.

[3] R. Kumar and S. Patel, "Project-based learning approach for blockchain technology education in computer science curricula," in Proc. IEEE Int. Conf. Engineering Education (ICEED), 2021, pp. 187–192.

[4] M. Rodriguez, L. Chen, and A. Thompson, "Security-focused curriculum design for smart contract development education," IEEE Trans. Education, vol. 64, no. 3, pp. 298–306, Aug. 2021.

[5] J. Chen and W. Liu, "Teaching distributed storage integration in blockchain applications: Challenges and solutions," in Proc. IEEE Frontiers in Education Conf. (FIE), 2022, pp. 1–8.

[6] A. Thompson, K. Williams, and R. Davis, "Competency-based framework for blockchain technology education: Mapping skills to learning outcomes," Computers & Education, vol. 178, pp. 45–58, 2022.

[7] V. Buterin, "Ethereum: A next-generation smart contract and decentralized application platform," Ethereum Foundation, 2014. [Online]. Available: https://ethereum.org/whitepaper/

[8] J. Benet, "IPFS - Content addressed, versioned, P2P file system," arXiv preprint arXiv:1407.3561, 2014.

[9] G. Wood, "Ethereum: A secure decentralized generalized transaction ledger," Ethereum Project Yellow Paper, vol. 151, pp. 1–32, 2014.

[10] M. Swan, "Blockchain: Blueprint for a new economy," O'Reilly Media, Inc., 2015.