International Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056
Volume: 12 Issue: 02 | Feb 2025 www.irjet.net p-ISSN: 2395-0072

Deception Detection Using a Passive-Aggressive Classifier: A Novel Approach to Identify Deceptive Communication

[1]Rehamat Bee, [2]Diya N, [3] Prof. L Sreenivasa Perumal

[1,2] UG student, Dept. of CSE-AIML, AMC Engineering College, KARNATAKA, INDIA.
[3]Assistant professor, Dept. of CSE-AIML, AMC Engineering College, KARNATAKA, INDIA

ABSTRACT - *This study presents a passive-aggressive classifier for detecting fake news, leveraging its adaptability for real-time misinformation detection. Trained on labeled datasets, it identifies deceptive patterns efficiently without full retraining. Results show its effectiveness in curbing misinformation and enhancing trust in digital communication.*

Keywords: *Fake news detection, Passive- aggressive classifier, Machine learning, Text classification, Misinformation detection.*

1. INTRODUCTION

The way we consume information has changed significantly in the fast-paced digital world of today. Social network 29. For millions of people, platforms, news websites, and online discussion boards are becoming their main news sources. Although there are advantages to this accessibility, there has also been a concerning increase in False or misleading material that is passed off as real news with the intention of misleading or controlling readers is referred to as fake news. This phenomenon has the potential to have detrimental effects on public opinion, cause fear in times of crisis, and undermine confidence in reliable information sources.

The challenge of identifying fake news is compounded by the sheer volume of content generated every day. Traditional methods of fact-checking, which often rely on manual verification, are not only time-consuming but also impractical in the face of such overwhelming data. Automated solutions that can effectively and precisely identify misleading content in real time are therefore desperately needed.

This project, titled "Deception Detection Using a Passive-Aggressive Classifier," by leveraging machine learning techniques. At the heart of our approach is the Passive-Aggressive Classifier, a powerful algorithm designed for text classification tasks. This model effectively distinguishes between authentic and fraudulent news stories because it is especially well-suited for finding patterns in textual data.

We allow the system to understand the nuanced differences between true and misleading news articles by training the passive-aggressive classifier on labelled datasets that comprise both types of articles. This classifier's capacity to adjust to new information without requiring a lot of retraining is one of its most notable properties, which makes it a reliable answer for the constantly changing world of internet disinformation.

2. PROBLEM STATEMENT:

The rapid spread of misleading and deceptive information, particularly through digital platforms, poses a significant challenge to individuals and society. Traditional misinformation detection methods often require extensive retraining and struggle to adapt to evolving deceptive strategies. There is a need for an efficient and adaptive approach to identify deceptive communication in real time. This study addresses the problem by utilizing a passive-aggressive classifier, a machine learning model capable of handling large-scale text classification tasks while dynamically adjusting to new data. The proposed solution aims to enhance the accuracy and efficiency of deception detection, thereby improving trust and reliability in digital communication.

3. METHODOLOGY

Outline the methodology employed in our project, "Deception Detection Using a Passive-Aggressive Classifier." Our approach is structured around three main components: the passive-aggressive classifier, data collection and pre-processing, and model training and evaluation. Each of these components ensuring the effectiveness and reliability of our fake news detection system.

A. Passive-Aggressive Classifier:

A potent linear model created especially for extensive text classification tasks is the Passive-Aggressive Classifier. Its distinct learning strategy,

which focuses on updating its weights solely for those instances that are misclassified, is what distinguishes this classifier. This implies that rather than completely reworking its learning process, the model makes a focused change to increase accuracy when it detects a mistake. Rapid convergence, or the ability to swiftly learn from mistakes and adjust to new information, is made possible by this feature of the passive-aggressive classifier. This is particularly beneficial in the context of fake news detection, where the landscape of information is constantly evolving. As new articles are published, the model must be able to adjust its understanding of what constitutes real versus fake news. The classifier's ability to perform online learning—updating its parameters in real-time as new data comes in—makes it an ideal choice for this project.

B. Data Collection and Pre-processing

The foundation of any machine learning project lies in the quality of the data used. For our project, we sourced publicly available datasets that contain labeled news articles categorized as either "real" or "fake." These datasets were carefully selected to ensure a diverse representation of news topics, styles, and formats, which is crucial for training a robust model.

Once the data was collected, it underwent a series of pre-processing steps to prepare it for analysis. This stage is essential since the model's performance is directly impacted by the calibre of the input data.

The pre-processing steps included:

Text Cleaning: The first step involved removing any unwanted characters, punctuation, numbers, and URLs from the articles. This cleaning process ensures that the text is free from noise, enabling the model to concentrate on the important content.

Tokenization: The text was cleaned and then can analyse, tokenization is necessary. We allow the model to comprehend the structure and meaning of the information by segmenting the text into smaller parts.

Stopword Removal: Words like "and," "the," and "is" don't significantly contribute meaning to the text, were eliminated. By reducing the dimensionality of the data, this stage enables the model to focus on more pertinent terms that aid in the categorization process.

Vectorization: The final pre-processing phase involved transforming the cleaned and tokenized approach. A statistical metric called TF-IDF assesses a word's significance in a document in relation to a corpus, or group of documents. We allow the model to efficiently assess the data and generate well-informed predictions by converting the language into a structured format.

C. Model Training and Evaluation

After preparing the pre-processed data, we proceeded to the passive-aggressive classifier's training phase. Teaching patterns linked to news stories is a crucial step in this process. The dataset was divided into two subsets at the start of the training process: one for testing and one for training. Generally, we employed an 80-20 split, in which the model was trained using 80% of the data and evaluation was done with the remaining 20%.

BLOCK DIAGRAM



Fig-1: Block Diagram of Deception Detection using a Passive Aggressive Algorithm.

Throughout the training process, the passive-aggressive classifier acquired the ability to recognize the characteristics that differentiate authentic news pieces from fraudulent ones. Through iterative training, the model's weights were modified in response to the misclassified cases it came across. With the help of this focused learning strategy, the model was able to increase its accuracy over time and become more skilled at identifying misleading content.

We used a different testing dataset to assess the model's performance after training was finished. We used a number of important metrics, such as accuracy, precision, recall, and F1-score, to evaluate its efficacy.

• Accuracy quantifies the proportion of true findings (including true positives and true negatives) across all cases analysed, demonstrating the overall soundness of the model's predictions.
• Precision evaluates how accurate the optimistic forecasts were.

4. IMPLEMENTATION:

- **Data Collection**: Gather a dataset that contains deceptive and truthful communication. You could use text datasets like those from **LIAR dataset** or **Fake News Detection datasets**.
- **Pre-processing**: Clean and pre-process the text data by removing stop words, stemming, or lemmatizing the text.
- **Feature Extraction**: Convert the text data into numerical features using methods like **TF-IDF** or **Word2Vec**.
- **Modeling**: Train the Passive-Aggressive Classifier to classify the text as either deceptive or truthful.
- **Evaluation**: Evaluate the performance using standard classification metrics such as accuracy, precision, recall, and F1-score.

5. RESULTS:

Our tests of the passive-aggressive classifier show that it is capable of identifying false information with a high degree of accuracy. The model continuously maintained an accuracy rate above 90% during the testing phase, demonstrating its remarkable capacity to discriminate between authentic and fraudulent news pieces. In the case of disinformation, when misclassification can have serious repercussions, this high degree of accuracy is essential.

We assessed the model using a number of performance criteria, including as precision and recall, in addition to total accuracy. Additionally, precision—a metric that quantifies the percentage of true positive predictions among all of the model's positive predictions—surpassed 90%. This indicates that when the classifier labels an article as fake, it is highly likely to be correct, thereby minimizing the risk of false positives. Similarly, recall, which assesses the model's ability to identify all relevant instances (in this case, fake news articles), also demonstrated impressive results, reinforcing the classifier's reliability in detecting deceptive content.

One of the standout features of the Passive-Aggressive Classifier is its lightweight nature, which contributes to the system's scalability. This characteristic allows the model to efficiently process large datasets without significant delays, making it suitable for real-time applications. In an era where information spreads rapidly, the ability to analyse and classify news articles in real-time is essential for combating the dissemination of fake news. Our experiments confirmed that the classifier could handle substantial volumes of data,

Furthermore, the adaptability of the passive-aggressive classifier to evolving patterns of misinformation was evident during our testing. As new articles were introduced, the model demonstrated its capacity to adjust its predictions based on the latest data, highlighting its potential for continuous learning. This adaptability is particularly important in the fast-paced digital landscape, where the nature of fake news can change rapidly, and requiring detection systems to remain agile and responsive.

All things considered the outcomes of our tests demonstrate how well the passive-aggressive classifier works as a reliable instrument for identifying false information. Its high accuracy, exceptional precision and recall, scalability, and adaptability position it as a significant instrument in the ongoing fight against misinformation. As we move forward, these findings pave the way for further enhancements and applications of the model, ultimately contributing to a more trustworthy digital communication environment.



Fig-2: Dashboard



Fig-3: Prediction Page

6. DISCUSSION

The results of our experiment demonstrate how important machine learning is in addressing the urgent problem of disinformation in the current digital environment. The problem of separating reliable news from misleading content gets more difficult as the amount of information published online keeps growing at an exponential rate. We show that machine learning can give a dependable and scalable solution to this problem by developing the Passive-Aggressive Classifier, which enables the automated detection of bogus news with remarkable accuracy.

This design's alignment with the larger field of Natural Language Processing (NLP) is among its most important accomplishments. Understanding and interpreting mortal language requires the use of natural language processing (NLP) ways, which are also pivotal for efficiently analyzing textual material. Our technology is a useful tool for businesses looking to save the integrity of information participated with the public since it can fete minor verbal patterns that distinguish false news from true news by exercising these strategies.

More importantly, our model's inflexibility in responding to changing patterns of intimation is relatively remarkable. A discovery system with real-time literacy and adaptation capabilities is essential in a world where false news styles are ever- evolving. This point guarantees that the model stays applicable in the face of arising difficulties while exploration supports the nonstop enterprise to promote trust in digital communication by offering a scalable and effective result for fake news discovery. Tools that increase the trustability of information is more pivotal than ever in a time when intimation can have major impacts, from public fear to the breakdown of popular processes.

In conclusion, the findings of this design not only emphasize the significance of machine literacy. As we continue to upgrade and expand our model, we hope to play a part in creating a more informed and sapient public, able of navigating the complications of the information age with confidence.

7.CONCLUSION

In conclusion, the" Deception Discovery Using a Passive- Aggressive Classifier" design successfully illustrates the important part that machine literacy ways can play in addressing the pervasive issue of fake news in our digital society. Through the careful design and perpetration of our system, we've created a scalable and effective result able of relating deceptive content in real time, thereby fostering lesser trust in digital communication. The emotional delicacy and rigidity of the unresitant-aggressive classifier punctuate its eventuality as a robust tool for combating misinformation, making it an inestimable asset for social media platforms, news agencies, and governmental associations likewise. As we look to the future, there are multitudinous avenues for improvement that could further bolster the system's capabilities. Exploring multilingual support would enable the model to operate effectively through different verbal surrounds, while the integration of advanced deep literacy models could enhance its understanding of complex language patterns and nuances.

8.REFERENCES

1) Choudhury, A., & Gupta, R.(2023). Relating False News Using Enhanced Passive- Aggressive Classifier styles.IEEEAccess.Https//ieeexplore.ieee.org/document/10489711

2) Khan, S., & Kumar, R. (2023). Fake News Discovery Using Recent Machine Learning Algorithms. IEEE Access. Https// ieeexplore.ieee.org/document/10403584

3) Sharma, A., & Singh, V. (2020). Fake News Discovery. Using Passive- Aggressive Classifier and TF-IDF Vectorization

(4) Pang, M., & Lee, L.(2023). A check of Fake News Discovery on Social Media Recent Advances and unborn Directions. ACM Computing checks, 55(6), Composition 124.

5) Sahu, P., & Padhy, N. P.(2023). Fake News Discovery Using Deep Learning A Review. Journal of Information and Data Management, 14(1), 1- 12

6) Alam, F., & Shabbir, J.(2022). Using Natural Language Processing and Machine Learning for Fake News Discovery A Survey. Journal of Information Science, 48(5), 616- 635.

7) Singh, R., & Gupta, N.(2022). Fake News Discovery Using Machine Learning A Review and exploration Directions. Computers and Security, 119, 103799.

8) Mishra, P., & Yadav, S.(2022). A Comprehensive Study on Fake News Discovery ways Using Machine literacy. Expert Systems with Applications, 203, 117622.

BIOGRAPHIES

REHAMAT BEE student pursuing BE in CSE AIML branch 4th year in the esteem college AMC Engineering College Bengaluru Karnataka . Interned at DRDO CAIR .

DIYA N student pursuing BE in CSE AIML branch 4th year in the esteem college AMC Engineering College Bengaluru. Interned at DRDO CAIR.

L.SREENIVASA PERUMAL
ASSISTANT PROFESSOR
AMC ENGINEERING COLLEGE