

DESIGN AND DEVELOPMENT OF MULTIPURPOSE WIRELESS OPERATED AGRICULTURE ROBOT.

Laxmi Bandi¹, Sanchita Kabbur², Snehal Patil³, Pranjal Subhedar⁴, Santosh Magdum⁵
Sachin Morti⁶

^{1,2,3,4}Students, Department of Mechatronics Engineering, Sant Gajanan Maharaj Rural Polytechnic, Mahagaon, Kolhapur, Maharashtra, India.

⁵Lecturer, Department of Mechatronics Engineering, Sant Gajanan Maharaj Rural Polytechnic, Mahagaon, Kolhapur, Maharashtra, India.

⁶Head, Department of Mechatronics Engineering, Sant Gajanan Maharaj Rural Polytechnic, Mahagaon, Kolhapur, Maharashtra, India.

Abstract -Agriculture is one of the most important sectors for economic development, yet it faces challenges such as labor shortages, high operational costs and the need for increased productivity. This project presents the design and development of a wireless multipurpose agriculture robot aimed at improving farming efficiency and reducing human effort. The proposed system is based on an Arduino Uno microcontroller integrated with various sensors and communication modules such as the HC-05 Bluetooth module. The robot is capable of performing multiple agricultural tasks including pesticide spraying, crop monitoring and basic field operations

The system utilizes wireless communication to allow farmers to control and monitor the robot remotely through a smartphone or other devices. The integration of sensors enables real-time data collection for better decision-making and precision farming. Additionally, the robot is designed to operate efficiently with low power consumption, making it suitable for small and medium-scale farms. The use of automation reduces manual labor, increases accuracy in spraying, and minimizes wastage of resources.

This project demonstrates how modern technologies such as embedded systems, IoT concepts and automation can be effectively applied in agriculture. The developed robot is cost-effective, user-friendly, and adaptable to different farming conditions. Overall, the system contributes to sustainable agriculture by enhancing productivity, reducing human effort, and promoting smart farming practices.

Key Words: Agriculture robot, Aurdino, Automation, labour cost, productivity, efficiency, sensor

1. INTRODUCTION

Agriculture is one of the most important sectors contributing to the economy, but it is currently facing major challenges such as labour shortages, increasing labour costs, and inefficient traditional farming methods. Manual agricultural practices are time-consuming, less accurate, and often lead to improper utilization of resources like water, fertilizers, and pesticides. With the rapid advancement of technology,

there is a growing need to adopt automation in farming to improve productivity and efficiency.

Agricultural robots play a significant role in modernizing farming practices by performing tasks such as seeding, irrigation, spraying, and crop monitoring with higher precision and reduced human effort. These robots integrate technologies like sensors, microcontrollers, and automation systems to carry out operations effectively. The proposed agriculture robot aims to provide a smart and efficient solution to overcome the limitations of traditional farming. By reducing manual work and improving accuracy, this system helps in enhancing crop yield and promoting sustainable agricultural practices.

1.1. LITERATURE REVIEW

The literature review has been carried out related to agriculture robots. Following are some journals & research papers which was studied thoroughly to implement our project.

Mr. Gowtham K, et. Al. [1] fabricated the IoT based agriculture robot by using. IoT-enabled real-time monitoring, I- based autonomous navigation, renewable energy sources like solar power, AI-powered crop disease detection and enhanced decision- making algorithm.

Prof. H. S. Bedi et. Al. [2] have researched on a multipurpose agriculture robot which was assembled by using AI and sensors to drastically reduce costs throughout the farming process. And also represents how data analytics and technological integration are modernizing the sector.

Sami Salama Hussen Hajjav et. Al. [3] focused on developing agriculture robot for spraying fertilizers and pesticides in agriculture field as well as crop monitoring which is a wireless controlled. The robots works with better efficiency which cover 30 plants/min and it has a better battery life i.e. n.69.6.5 hours. Robots made various autonomous works like automatic pests monitoring, spraying.

Mr. Sumedh Sonavne et. Al. [4] have studied on manufactured by Arudino UNO, renewable energy like solar energy and monitoring through the image processing and GPS system.

1.2 PROBLEM DEFINITION

Agriculture faces major challenges such as labour shortage, increasing labour costs, low efficiency in manual farming, and inconsistent weed removal. Traditional farming methods are time-consuming and often lead to reduced productivity and improper resource utilization (water, fertilizers, pesticides) There is a need for an automated system that can perform essential agricultural tasks like seeding, irrigation, spraying and crop monitoring with higher accuracy and efficiency.

1.3 SOLUTION

For this problem, the solution is to design and develop an automated agriculture robot capable of performing multiple farming tasks with minimal human intervention. The robot will be equipped with sensors, microcontrollers and actuators to carry out operations such as weeding, irrigation, pesticide spraying and ploughing.

2 .OBJECTIVES

1. To reduce human labour and dependency in agricultural activities.
2. To improve efficiency and accuracy in tasks like seeding, irrigation, and spraying.
3. To optimize the use of resources such as water, fertilizers and pesticides.
4. To implement sensors for real-time monitoring of soil and crop conditions.
5. To increase crop yield and overall productivity.
6. To develop a cost-effective and user-friendly system for farmers.

3. METHODOLOGY

The methodology of the agriculture robot project starts with a thorough analysis of existing agricultural challenges such as labour shortages, high operational costs, inefficient irrigation practices, and uneven distribution of fertilizers and pesticides. Based on these problems, the system requirements are defined, and a suitable design is prepared. The design phase includes selecting appropriate components such as a microcontroller (like Arduino), motor drivers, DC motors, wheels, sensors , water pump, weeding.

In the hardware implementation stage, all the selected components were successfully tested and then are assembled to build the physical structure of the robot. The chassis is constructed to support movement across agricultural fields, and motors are connected through motor drivers for controlled motion. Sensors are properly mounted to collect real-time data from the environment. The irrigation system is integrated using a water pump, and a spraying mechanism is added for fertilizers or pesticides. And a ploughing and weed removal unit.

After hardware setup, software development is carried out by programming the microcontroller. The program is

designed to control robot movement, read sensor data and perform automated actions such as turning on irrigation when soil moisture is low or activating the spray system when required. Navigation is implemented using line-following techniques, predefined path programming, or wireless control methods such as Bluetooth for better field coverage.

Once the system is developed, testing and calibration are performed to ensure proper functioning of all components. The robot is tested in real or simulated field conditions, and adjustments are made to improve accuracy and efficiency.

4. SYSTEM DESIGN:




Fig-1: Flowchart of Robot Working.

The working of the agriculture robot begins with the start of the system, where the power supply is turned ON. Once powered, the robot initializes all its main components such as the Arduino controller, sensors, motors and the Bluetooth module. This step ensures that all hardware parts are ready for operation.

After initialization, the system establishes a Bluetooth connection (HC-05 module) with a smartphone or control

device. This allows the user to send commands wirelessly to the robot. Once the connection is successfully established, the robot enters the input stage.

Next comes the decision-making stage, where the Arduino processes the received input and determines the appropriate action. Based on programmed logic, it decides whether the robot should move, spray, monitor crops, or remain idle.

According to the decision:

- The robot may move in different directions using motors.
- It may activate the spraying mechanism to distribute water, fertilizers or pesticides.
- It may monitor crop conditions using sensors (like soil moisture or temperature).
- Or it may stay in a stop/idle condition if no command is given.

After performing the required action, the robot can send feedback or data back to the user, if such a feature is included (for example, sensor readings or status updates).

Finally, the system checks whether there are any new inputs. If new commands are available, the robot repeats the process from the decision-making stage. If no further input is received, the system stops or remains in standby mode.




Fig -2: Working Model of Agriculture Robot.

5. COMPONENTS USED

Table - 1: COMPONENTS AND THEIR DESCRIPTION

Sr. no.	Components	Description
1	Microcontroller	ATmega328P Microcontroller
2	Communication	HC-05 Bluetooth Module

	Module	
3	Display Module	16X 2 LCD
4	Motors & Tyers	BO motors & rubber type
5	Motor	Servo motor ,pump motor
6	Motor driver	L298N Motor driver
7	Battery	18650 Lithium –ion Cells
8	Robot Controlling	Bluetooth RC controller app
9	Relay	Single Pole Double Throw(SPDT)
10	Sensor	DHT11
11	Programming Language and Software	C/C++ aurdino language , aurdino IDE software

6. CONCLUSION & RESULT

The agriculture robot developed in this project successfully demonstrates the application of automation in modern farming practices. The system is designed to perform multiple agricultural operations such as irrigation, pesticide spraying, ploughing and weed removal with improved efficiency and minimal human intervention. By integrating sensors, microcontrollers, and mechanical components, the robot is capable of monitoring environmental conditions and executing tasks accurately based on real-time data.

The implementation of this system helps in reducing the dependency on manual labor, lowering operational costs, and minimizing human errors in farming activities. It also ensures efficient utilization of resources such as water, fertilizers, and pesticides, thereby reducing wastage and promoting sustainable agricultural practices. The testing and evaluation of the robot indicate that it can perform tasks more consistently and efficiently compared to traditional methods, leading to improved productivity and better crop management.

Furthermore, the proposed system is cost-effective and user-friendly, making it suitable for small and medium-scale farmers. With further enhancements such as the integration of IoT for remote monitoring, artificial intelligence for crop disease detection, and autonomous navigation systems, the robot can be upgraded into a fully smart agricultural system capable of handling large-scale farming operations.

In conclusion, the agriculture robot offers a promising solution to the challenges faced in the agricultural sector. It plays a vital role in transforming conventional farming into smart farming, thereby contributing to increased efficiency, productivity, and sustainability in agriculture.

7. REFERENCES

1. H.S. Bedi , R Rai , Viresh, S. Kumar , A.Kumar , Adarsh . “ Design and Implementation Of Wireless Multipurpose Agriculture Robot” Nano and Electronics Physics ,2024,16(4), 4009-1 to 4009-4

2. Sumedh Sonavnea , Sagar Ingleb , Samadhan Lokarec , Mritunjay Pattedd “Wireless Controlled Multipurpose Agriculture Robot” ICCIP,2020, 1 to 7.
3. Vijay Kumar MS, Gowtham K,Divith M, AM Saathvick, Nischith “solar-powered smart multifunctional agriculture robot for automated seed sowing and farm monitoring” , International Research Journal of Modernization in Engineering Technology and Science”, 2025, 7 (11), 5260 TO 5263.
4. Hussain Nor Azmia, Sami Salama Hussen Hajjajb,c*, Kisheen Rao Gsangayaa, Mohamed Thariq Hameed Sultand,e,f*, Mohd Fazly Mailg, Lee Seng Huah “Design and Development of an Agricultural Robot for Crop Seeding “Elsevier”,2023, 1190 – 1196.


Mr. Sachin S. Morti

Bachelor of Mechanical Engineering, Master of Design Engineering from Sanjay Ghodawat Institutions, Atigre, Kolhapur. Completed the Industrial Research project on ‘Design Modification and Acoustic Analysis of Silencer used for Single Cylinder Water Cooled Diesel Engine’. Worked as a Lecturer at Mechanical Engineering Dept. and currently working as a Head, Department of Mechatronics Engineering, Sant Gajanan Maharaj Rural Polytechnic, Mahagaon, Maharashtra, India.

8. BIOGRAPHIES

Ms. Laxmi Anand Bandi

Student, Third Year Mechatronics Department, Sant Gajanan Maharaj Rural Polytechnic, Mahagaon, Maharashtra, India.


Ms. Sanchita Shital Kabbur

Student, Third Year Mechatronics Department, Sant Gajanan Maharaj Rural Polytechnic, Mahagaon, Maharashtra, India


Ms. Snehal Appaya Patil

Student, Third Year Mechatronics Department, Sant Gajanan Maharaj Rural Polytechnic, Mahagaon, Maharashtra, India..


Ms. Pranjal Pundlik Subhedar

Student, Third Year Mechatronics Department, Sant Gajanan Maharaj Rural Polytechnic, Mahagaon, Maharashtra, India



Mr. S. M. Magadum, completed B. E. in Mechanical Engineering from VTU, Belagavi. Currently working as a Lecturer, Mechatronics Department, Sant Gajanan Maharaj Rural Polytechnic, Mahagaon