

Object Recognition and Detection

Gaurav Shahi¹

School of Computer Science and Engineering
Galgotias University
Greater Noida

Dr. T Poongodi²

School of Computer Science and Engineering
Galgotias University
Greater Noida


Abstract - In the past years, the production of the hardware and software image processing system was limited to the development of the interface, in which most of the programmers from every firms were engaged in. The scenario were significantly switched with the coming up of the Windows operating system when the majority of the Engineers switched to solving the problems of image processing themselves. However, this has not yet led to the cardinal progress in solving difficult tasks of identifying faces, car numbers, road signs, analysing remote and medical images, etc. Each of those "eternal" problems are solved by trial and error by the efforts of diverse groups of the engineers and scientists. Within the field of image processing, the required tools should be supporting the analysis and recognition of images of previously unknown content and make sure the effective development of applications by ordinary programmers even as the Windows toolkit supports the creation of interfaces for solving various applied problems. Recognition of object is to explain a group of related computer vision tasks that involve activities like identifying objects in digital photographs. Image classification involves activities like predicting the Category of one object in a picture. Object detection started working on combining these two tasks and localizes and classifies one or more objects in an image. When a user says the term object recognition, that directly means object detection..

Keywords - Image Recognition, Image Processing, Object Recognition, Object Detection, Computer Vision, Object Localization, Object Classification

1. Introduction

Object detection (OD) system finds objects with in the universe by making use of the article models which are thought to be apriori. This task is relatively difficult to perform with machines in comparison to human beings who can perform image/object detection instantaneously and effortlessly. We are going to provides a review of the varied techniques and approaches that are used to detect objects in images and videos. Basically, an OD system may be described easily by seeing the below figure which shows the basic stages that are involved within the process of OD. The essential input to the OD system can be a picture or a scene in case of video. The essential aim of this method is to detect objects that are present within the image or scene or in

other words the system has to categorize the varied objects into respective object classes.



To gain a complete image understanding, we must not only consider classifying totally different pictures, but also attempt to exactly estimate the ideas and locations of objects contained in every image. This process is called object/image detection that is a collection of various sub tasks namely face detection, pedestrian detection, skeleton detection etc. Object detection is in a position to produce valuable info for linguistics understanding of pictures and videos, and is said to have several applications like human behaviour analysis, face recognition, image classification and autonomous driving. Taking inheritance from connected learning systems and neural networks, the progress in these fields can develop neural network algorithms and can have positive impacts for further improvement of image/object detection techniques which might be thought of as learning systems. However, thanks to big variations in viewpoints, poses, occlusions and lighting conditions, it's troublesome to accomplish object detection with a further object localization task. Hence most attention has been attracted to this field in recent years. The problem definition of object detection is to work out where are the objects present in a particular image (this is known as object localization) and identify to which category each of the object belongs to (this is known as object classification). Therefore, the pipeline of ancient object detection models can be in the main divided into 3 stages: informative region selection, feature extraction and classification.

1.1 Informative Region Choice - As totally different objects could be seen in any positions of the image and have totally different facet ratios or sizes, it's a natural option to scan the complete image with a multi-scale window. Though this complete strategy can establish all doable positions of the objects, its shortcomings also are obvious.

1.2 Feature Extraction - To acknowledge totally different objects, we need to extract visual options which might offer a linguistics and robust illustration. SIFT, HOG and Haar-like features square measure the representative ones. This can be because of the actual fact that these options will manufacture representations related to complex cells in human brain. However, because of the variety of appearances, illumination conditions and backgrounds, it's troublesome to manually style a strong feature descriptor to perfectly describe all types of objects.

1.3 Classification - Besides, a classifier is required to differentiate a target object from all the opposite classes and to create the presentations, linguistics and information for visual recognition. Usually, the Supported Vector Machine (SVM), AdaBoost and Deformable Part-based Model (DPM) area help in smart decisions. Among these classifiers, the DPM could be a versatile model by combining object elements with deformation price to handle severe deformations. In DPM, with the aid of a graphical model, fastidiously designed low-level features and kinematically galvanized half decomposition area are combined. Discriminative learning of graphical models takes into account constructing high-accuracy part-based models for diverse object classes.

1.4 Object Detection - It is a very important task, yet challenging vision task. It is an important piece of numerous applications like understanding of a particular scene, image searching and tracking of objects. In video scenes, tracking moving objects is one of the foremost important subjects in computer vision. It had already been applied in many computer vision fields, like smart video surveillance, artificial intelligence, military guidance, safety detection and robot navigation, medical and biological application. In recent times, different successful single-object tracking systems have come up, but with the presence of several objects, object detection becomes tough and when objects are fully or partially occluded, they're obtruded from the human vision which further increases the matter of detection. Diminishing lighting and acquisition edges, the proposed MLP based framework of object tracking is made powerful by an ideal determination of interesting highlights and furthermore by executing the Adaboost solid grouping technique.

1.5 Background Deduction - Background deduction is a well-known technique for secluding the moving pieces of a scene by fragmenting it into background and foreground view. The state of the human outline assumes a significant job in perceiving human activities, and it very well may be removed from background deducted masses. A few techniques dependent on worldwide, limit, and skeletal descriptors have been proposed to evaluate the state of the outline. Worldwide

strategies, for example, minutes consider the whole shape district to process the shape descriptor. Limit strategies, then again, consider just the shape form as the characterizing normal for the shape. Such strategies incorporate chain codes and milestone-based shape descriptors. Skeletal techniques speak to an intricate shape as a lot of 1D skeletal bends. The initial step included is background deduction, trailed by a conglomeration of an arrangement of background deducted masses into a solitary static picture. They propose two strategies for conglomeration—the principal technique gives equivalent load to all pictures in the arrangement, which leads to a portrayal called the "Movement Energy Image". The subsequent strategy gives rotting loads to the pictures in the succession with higher weight given to new frames and lower weight to more old frames. This prompts a portrayal called the "Movement History Image".

1.6 Template Matching - It is the technique of finding little components of a picture that match an example image. It slides the example from the highest left to all-time low right of the image and compares for the simplest match with the example. The example dimension ought to be equal to the reference image or smaller than the reference image. It acknowledges the segment with the best correlation as the target. Given a picture S and a picture T, where the dimension of S was each larger than T, output whether or not S contains a subset image I wherever I and T square measure fitly similar in pattern and if such I exists, output the location of I in S which derives an algorithm that used each higher and lowers to sight 'k' best matches. The positive things include the usage of priority queue, improved quality of call on that bound-improved and once smart match exist, inherent value was dominant and it improved performance. However there have been constraints just like the absence of excellent matches that lead to cost of queue and therefore the mathematical operational price was higher. The projected ways didn't use queue thereby avoiding the queue value rather used example matching. Visual tracking ways are often roughly categorized in 2 ways in which specifically, the region-based and feature-based. The feature-based approach estimates the 3D create of a target object to suit the image having the edges, given a 3D geometrical model of an associate object. This methodology needs a lot of computational power leading to increased costs. Region-based are often classified into 2 classes specifically, parametric methodology and view-based methodology. The former assumes a constant model of the photographs within the target image and calculates best fitting of the model. The later is used to know the best match of a part in a search space given the reference example. This has the advantage that it doesn't require a lot of machine power as with the feature-based approach.


2. Proposed Methodology

2.1 SqueezeNet – It is a type of Deep Neural Network released in 2016 by UCB, California and Stanford University. It achieves significantly higher accuracy on ImageNet with 50 times less parameters. It is also very small in size (just about 0.5mb). It contains small convolutional neural network which require less interaction among various entities across the network while training the model. It requires less bandwidth as well when exporting new models to clients. It is free under BSD license. It is a part of source code of various frameworks. Inception V3 and DenseNet frameworks support SqueezeNet

3. Experimental Analysis

3.1 Data Set – Computer vision algorithms work according to some data. How the algorithm will work depends on the data that is given to it. Data is collected from different sources and fed to the system. This is known as data set. It is basically a collection of data which is fed to the system to train the algorithm. Different collections of data are fed to the system. Hence, we feed different data sets to one algorithm. The more data sets we feed, the more is the accuracy of the algorithm. Most well-known data set for image recognition is ImageNet (contains millions of images margined using WordNet). Different datasets like ImageNet exist and can used to train our image recognition algorithm according to user’s needs.

3.2 Experimental Surroundings – Our project relies on TensorFlow. It is a deep learning and machine learning framework developed by Google Brain. It is easy to work with and is compatible with a great variety of devices. TensorFlow API is flexible and very stable. It supports distributed computing of diverse devices. It will be used on varied platforms mechanically to run models from mobile phones, single central processor/graphics processor to a whole lot of hundreds of graphic cards comprising of distributed systems.



3.3 Algorithm – It is as follows :


1. Initialise the wights and threshold
2. Provide the input and calculate output
3. Update the weights
4. Repeat step 2 & step 3

$$New\ Weight = Old\ Weight = n(d - y)x$$

x-input

y-actual output

d-desired output



4. Conclusion

Profound convolution neural systems are utilized to recognize scaling, interpretation, and different types of irregularities in uniform pictures. So as to stay away from clear cut feature extraction, the convolutional network utilizes feature identification layer to gain from training information certainly, and in light of the weight sharing instrument, neurons on a similar element mapping surface have a similar weight. Profound convolution neural system has serious advantage in image attribute portrayal and grouping. Numerous scientists despite everything still respect the profound convolutional neural system as a discovery for attribute/characteristics extraction model. To investigate the association between each layer of the profound convolutional neural system and the visual sensory system of the human mind, and how to make the profound neural system gradual, as people do, to make up for learning, to expand the awareness about the object details, more research will be needed in the future.

5. References

- [1].Image classification using local tensor singular value decompositions by E. Newman, M. Kilmer, L. Horesh
- [2].Zero-shot image classification based on deep feature extraction by X. Wang, C. Chen, Y. Cheng
- [3].Image classification based on improved VLAD and Multimedia Tools Applications by X. Long, H. Lu, Y. Peng, X. Wang, S. Feng

- [4]. Multi-Scale Dense Networks for Resource Efficient Image Classification by Huang G, Chen D, Li T
- [5]. Expert Systems with Applications by M. Karabatak, M.C. Inc
- [6]. Pattern Analysis and Machine Intelligence by S. Ji, W. Xu, and M. Yang
- [7]. K. K. Sung and T. Poggio, "Example-based learning for view-based human face detection," IEEE Trans. Pattern Anal. Mach. Intell., vol. 20, no. 1, pp. 39–51, 2002.
- [8]. A. Krizhevsky, I. Sutskever, and G. E. Hinton, "Imagenet classification with deep convolutional neural networks," in NIPS, 2012.
- [9]. J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, "You only look once: Unified, real-time object detection," in CVPR, 2016.
- [10]. R. Lienhart and J. Maydt, "An extended set of haar-like features for rapid object detection," in ICIP, 2002.
- [11]. F. Yang, W. Choi, and Y. Lin, "Exploit all the layers: Fast and accurate cnn object detector with scale dependent pooling and cascaded rejection classifiers," in CVPR, 2016
- [12]. P. Sermanet, D. Eigen, X. Zhang, M. Mathieu, R. Fergus, and Y. LeCun, "Overfeat: Integrated recognition, localization and detection using convolutional networks,"
- [13]. Y. Xiang, W. Choi, Y. Lin, and S. Savarese, "Subcategory-aware convolutional neural networks for object proposals and detection,"
- [14]. K. He, X. Zhang, S. Ren, and J. Sun, "Spatial pyramid pooling in deep convolutional networks for visual recognition," S. Bell, C. Lawrence Zitnick, K. Bala, and R. Girshick, "Inside-outside net: Detecting objects in context with skip pooling and recurrent neural networks,"
- [15]. A. Arnab and P. H. S. Torr, "Pixelwise instance segmentation with a dynamically instantiated network,"
- [16]. Z. Cai, Q. Fan, R. S. Feris, and N. Vasconcelos, "A unified multi-scale deep convolutional neural network for fast object detection.
- [17]. Y. Zhu, R. Urtasun, R. Salakhutdinov, and S. Fidler, "segdeepm: Exploiting segmentation and context in deep neural networks for object detection.
- [18]. S. Hong, B. Roh, K.-H. Kim, Y. Cheon, and M. Park, "Pvanet: Lightweight deep neural networks for real-time object detection.
- [19]. C. Szegedy, A. Toshev, and D. Erhan, "Deep neural networks for object detection.
- [20]. P. O. Pinheiro, R. Collobert, and P. Dollar, "Learning to segment object.
- [21]. J. Kuen, Z. Wang, and G. Wang, "Recurrent attentional networks for saliency detection,"
- [22]. Q. Hou, M.-M. Cheng, X.-W. Hu, A. Borji, Z. Tu, and P. Torr, "Deeply supervised salient object detection with short connections.
- [23]. I. Croitoru, S.-V. Bogolin, and M. Leordeanu,
- [24]. "Unsupervised learning from video to detect foreground objects in single images," in ICCV, 2017.
- [25]. S. Azadi, J. Feng, and T. Darrell, "Learning detection with diverse proposals," in CVPR, 2017.
- M. Mathias, R. Benenson, R. Timofte, and L. Van Gool, "Handling occlusions with franken-classifiers," in ICCV, 2013.